

AF The

TRANSMITTAL OF APPEAL BRIEF		Docket No. SONYJP 3.0-147		
In re Application of: Keiji	Yuzawa			
Application No.	Filing Date		aminer	Group Art Unit
09/812,163	March 19, 2001	J. Chang		2154
Invention: INFORMATION DISTRIBUTION SYSTEM, INFORMATION RECEIVING APPARATUS, INFORMATION LISTFORMING METHOD, INFORMATION DELETING METHOD, AND INFORMATIONSTORING METHOD				
TO THE COMMISSIONER FOR PATENTS:				
Transmitted herewith is the	Appeal Brief in this applicatio	on.		
The fee for filing this Appeal Brief is 500.00 .				
X Large Entity	Small Entity			
A check in the amount of is enclosed.				
Charge the amount of the fee to Deposit Account No. 12-1095 This sheet is submitted in duplicate.				
	hereby authorized to charge ent to Deposit Account No. ed in duplicate.	any addition 12-109		be required or
• / • /		(Dated: Septe	ember 18, 2006
I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the U.S. Postal Service on the date shown below with sufficient postage as First Class Mail, in an envelope addressed to: MS Appeal Brief - Patents, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.				
Dated: September 18, 2006	Signature:		(Daryl K. Neff)	
69367.I_1.DOC			· · ·	

hereby certify that this paper (along with any paper referred to as being attached pr enclosed) is being deposited with the U.S. Postal Service on the date shown pelow with sufficient postage as First Class Mail, in an envelope addressed to: MS Appeal Brief - Patents, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Dated: September 18, 2006 Signature:

Docket No.: SONYJP 3.0-147

(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Keiji Yuzawa

Application No.: 09/812,163

Group Art Unit: 2154

Filed: March 19, 2001

Examiner: J. Chang

For: INFORMATION DISTRIBUTION

SYSTEM, INFORMATION RECEIVING

APPARATUS, INFORMATION

LISTFORMING METHOD, INFORMATION

DELETING METHOD, AND

INFORMATIONSTORING METHOD

09/25/2006 EEKUBAY1 00000001 121095 09812163

01 FC:1402

500.00 DA

APPEAL BRIEF

MS Appeal Brief - Patents Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

Applicant hereby files this brief on Appeal to appeal 25-44 mailed final rejection of claims to the Notice of Panel February 14, 2006, and in response Decision From Pre-Appeal Brief Review mailed July 17, 2006.

REAL PARTY(IES) IN INTEREST

real party in interest is Sony Corporation, The assignee of the present application.

RELATED APPEALS AND INTERFERENCES

None; appellants, appellants' legal representative and the assignee are not aware of any other appeals or interferences

09/25/2006 WASFAW1 00000073 121095 09812163

500.00 DA 01 FC:1401

09/25/2006 EEKUBAY1 HOSFADT 00000073 121095 09812163 500.00 CR

which will directly affect or be directly affected by or have a bearing on the Board's decision in the presently pending appeal.

STATUS OF CLAIMS

Claims 1-24 have been cancelled by previously submitted amendment.

Claims 25-28, 30-33, 35-38 and 40-43 are pending herein upon entry of the amendment submitted herewith.

All of the presently pending claims stand rejected under 35 U.S.C. §103(a) as being obvious over U.S. Patent No. 5,801,747 to Bedard (hereinafter, "Bedard"), in view of U.S. Patent No. 6,177,931 to Alexander et al. (hereinafter, "Alexander et al.") and U.S. Patent No. 6,185,360 to Inoue et al. (hereinafter, "Inoue et al.").

A clean copy of the claims is attached hereto as Appendix A.

STATUS OF AMENDMENTS

An amendment is submitted herewith which cancels claims 29, 34, 39 and 44 and makes certain other minor amendments which are believed to reduce the number of issues and place the application in better condition for appeal.

SUMMARY OF CLAIMED SUBJECT MATTER

The invention claimed in claims 25-28 relates to a method of transmitting items containing content information to a user terminal, and the invention claimed in claims 35-40 relate to a corresponding information receiving apparatus for receiving transmitted items containing content information. The claimed

information receiving apparatus, e.g., user terminal 2 (FIG. 1) includes a receiver 21 which is operable to receive transmitted e.g. moving images, audio sound, such as from information distribution service 1 via broadcast satellite 3 (paragraphs [0027], [0039]), and to reproduce a selected one of the transmitted items at a time selected by a user of the user terminal 2, as described in paragraph [0039]. As shown in FIG. 3, the information receiving apparatus includes a controller, e.g., a browser 54 (FIG. 3), which is operable to select some of the received items, e.g., items 101A, 101B, 101C, 101D, etc. (FIG. 4), as described in paragraphs [0036], [0040]-[0041], and The selected items contain content information [0051] - [0052]. including at least one of moving images or audio sound as described, for example, in paragraphs [0044], [0051]-[0052]. described, for example, in paragraphs [0077], and [0080]-[0083] of the Specification and as illustratively shown in FIG. (e.g., steps S1 through S3) and FIG. 11 (e.g., steps S11 through the basis selected on selected items are S13), the information representing access priorities for respective ones of the selected items.

The information receiving apparatus further includes an information storing unit, e.g., storing unit 22; FIGS. 1-2, which is operable to selectively store the selected items, e.g., items 101A, 101B, 101C (FIG. 4), etc., in storing apparatus 61 (paragraph [0051], FIG. 3). Referring to steps S2-S3 of FIG. 10, or alternatively steps S11-S13 of FIG. 11, an information forming unit (e.g., storing unit 22) is operable to arrange each of the stored items in an order according to the priorities, such as in an order as shown in FIG. illustratively described at paragraphs [0080]-[0083] and [0085] of the Specification.

The controller, e.g., receiver 21 (FIGS. 1-2) via browser 54 (FIG. 3), is further operable to permit the user to select one of the stored items (paragraph [0039]) containing content information at a time selected by the user, after which the controller stores the user-selected item. The controller is then operable to cause at least one of moving images or audio sound to be reproduced from the user-selected item (paragraphs [0039] - [0042]).

As further recited in claim 36, and as illustratively described in paragraphs [0083] and [0085], the information receiving apparatus can determine the access priority of each selected item by first processing which includes associating information items category of the with each information corresponding to a category assigned to the content information contained in each the information item, where the category is one of a plurality of categories. The category attribute information associated with each the transmitted item is then transmitted. Using the transmitted category attribute information at the user terminal, the number of times the transmitted items in each the category are accessed by a user plurality of counted to obtain count values of the categories. The access priorities are then determined from the count values.

Alternatively, as recited in claim 37, the access priority of each the selected item is determined by second processing, as described in paragraph [0083]. The processing includes associating with each of the information items priority attribute information corresponding to a priority assigned to the content information contained in each the information item, the priority being one of a plurality of priorities. Referring to FIG. 12, the priority attribute

information associated with each of the transmitted items is then transmitted, and the transmitted priority attribute information is used at the user terminal to determine the access priority for each selected item.

The methods described in claims 25-28 recite features of the invention which are similar to that recited in claims 35-38, and are illustrated by the same references to the Specification and figures.

In the variation of the invention that is recited in claim 40, there is no requirement of an information forming unit for arranging each of the stored items in order. Claim 40 requires that the controller (e.g., receiver 21) be operable to delete at least one of the items (101A, 101B, 101C, etc.) stored by the information storing unit (e.g., storing apparatus 61) in an order beginning with the stored item having a lowest one of the access priorities, as illustrated at steps S3 through S5 of FIG. 10, and described in paragraph [0084] of the Specification.

GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL

Applicants respectfully request this Honorable Board to review the 35 U.S.C. §103(a) rejections of the pending claims over Bedard in view of Alexander et al., and further in view of Inoue et al.

ARGUMENT - CLAIMS 25-26, 28 and 35-36, 38

An amendment is submitted herewith which corrects a typographical type of error in claim 35, such that the preamble now recites "information" rather than "in formation." In addition, claims 36 and 38 are amended to correctly refer back

to the information receiving apparatus, rather than "user terminal."

Applicants respectfully submit that the Examiner fails to show that the above-identified claims are obvious over the combination of references cited by the Examiner. The combination of references cited by the Examiner neither teaches nor suggests the invention as recited in claim 25. Bedard fails to teach at least the following features recited in claim 25: selecting some received content information-containing items on the basis of information representing access priorities; selectively storing the selected content information-containing items in the user terminal; arranging the stored items of content information in an order according to access priorities; and at a user-selected time after storing the selected items, user selecting one of the stored items of content information and causing moving images and/or audio sound to be reproduced from the user-selected one Bedard merely shows the creation of a of the stored items. viewer profile array, which is then used to tailor the display of received electronic program guide (EPG) information. of the system described in Bedard has no ability to select a program to be reproduced from a set of programs that are stored locally at a user terminal based on the user's preferences.

Alexander et al. does not provide the teachings which Bedard lacks. The passages cited by the Examiner at col. 12 of Alexander et al. merely describe the reception of items according to the user's specific requests, such as "4 hours of CNN news broadcasts." (col. 12, lns. 15-16) Alexander et al. neither teaches nor suggests selecting such content-containing items and selectively storing them on the basis of information representing the access priorities. While Alexander et al. describes the use of viewer profile information in creating a "Profile Program," at best such program is used only to arrange an order for displaying EPG information [emphasis added] and to

determine which of several stored advertisements is to be displayed, without the user's selection of such advertisements. In addition, Alexander et al. neither teaches nor suggests arranging stored items of information in an order according to access priorities, and at a user-selected time after storing the selected items, selecting one of the stored items by the user and causing moving images and/or audio sound to be reproduced from the user-selected item.

Finally, Inoue et al. fails to provide the teachings which Bedard and Alexander et al. lack with respect to the invention cited in claim 25. Inoue et al. neither teaches nor suggests arranging stored items of information in an order according to access priorities and at a user-selected time after storing the selected items, user selecting one of the stored items and causing moving images and/or audio sound to be reproduced from the user-selected item.

Claim 35 recites an apparatus and contains analogous recitations. For the foregoing reasons, claim 35 is also believed to be allowable.

Claims 26, 28 and 36, 38 which depend from claims 25 and 35 stand or fall together with claims 25 and 35.

ARGUMENT - CLAIMS 30-31, 33 and 40-41, 43

Claim 40 is amended in like manner to claim 35 to correctly refer to "information" in the preamble.

Claims 41 and 43 are amended in the amendment submitted herewith to correctly refer back to the information receiving apparatus, rather than "user terminal."

With respect to claims 30 and 40, the combination of references fails to teach or suggest the feature of deleting at least one of a plurality of stored content-containing items from the user terminal in an order beginning with the stored item having a lowest one of the access priorities. Bedard merely describes deleting a channel from a list of channels that is displayable as EPG information. Neither Alexander et al. nor Inoue et al. provides the teachings which Bedard lacks with respect to the invention recited in claims 30 and 40. Claims 31, 33 and 41, 43 which depend from claims 30 and 40 stand or fall together with claims 30 and 40.

ARGUMENT - CLAIMS 32 and 42

Claim 42 is amended in the amendment submitted herewith to correctly refer back to the "information receiving apparatus", rather than "user terminal."

In paragraph 11 of the final Office Action dated May 24, 2006, the Examiner appears to cite the passage of Bedard at col. 3, lns. 33-56 as teaching the particular method of determining access priorities which is recited in claims 32 and However, that passage of Bedard clearly fails to teach or suggest the transmitting of priority attribute information associated with each transmitted item and using the transmitted priority information to determine an access priority for each selected item.

CONCLUSION

This Honorable Board should reverse the rejections of claims 25-28, 30-33, 35-38 and 40-43.

Dated: September 18, 2006

Respectfully submitted,

Daryl K. Neff

Registration No.: 38,253
LERNER, DAVID, LITTENBERG,
KRUMHOLZ & MENTLIK, LLP
600 South Avenue West
Westfield, New Jersey 07090
(908) 654-5000

Attorney for Applicant

APPENDIX A - CLAIMS

25. A method of transmitting items containing content information to a user terminal and reproducing a selected one of said transmitted items at a time selected by a user of said user terminal, comprising:

providing a user terminal;

transmitting information items to said user terminal, at least some of said transmitted items containing content information including at least one of moving images or audio sound;

at said user terminal, receiving said transmitted items containing content information and assigning access priorities to said received items;

selecting some of said received items containing content information on the basis of information representing said access priorities;

selectively storing said selected items in said user terminal;

arranging said stored items of information in an order according to said access priorities; and

at a user-selected time after storing said selected items, user selecting one of said stored items and causing said at least one of moving images or audio sound to be reproduced from said user-selected item.

26. The method as claimed in claim 25, wherein said access priority of each said selected item is determined by first processing including i) associating with each of said information items category attribute information corresponding to a category assigned to the content information contained in each said information item, said category being one of a plurality of categories, ii) transmitting said category attribute information associated with each said transmitted

item, iii) using said transmitted category attribute information at said user terminal, counting a number of times said transmitted items in each said category are accessed by a user to obtain count values of said plurality of categories, and iv) determining said access priorities from said count values.

- 27. The method as claimed in claim 25, wherein said access priority of each said selected item is determined by second processing including i) associating with each of said information items priority attribute information corresponding to a priority assigned to the content information contained in each said information item, said priority being one priorities, ii) transmitting said plurality of attribute information associated with each said transmitted said transmitted priority attribute iii) usinq and information at said user terminal to determine said access priority for each said selected item.
- 28. The method as claimed in claim 25, wherein said access priority of each said selected item is determined by first processing including i) associating with each of said information items category attribute information corresponding to a category assigned to the content information contained in each said information item, said category being one transmitting plurality of categories, ii) said attribute information associated with each said transmitted item, iii) using said transmitted category attribute information user terminal, counting a number of times said transmitted items in each said category are accessed by a user to obtain count values of said plurality of categories, and iv) determining said access priorities from said count values and by second processing including i) associating with each of said information items priority attribute information corresponding to a priority assigned to the content information contained in each said information item, said priority being one of

plurality of priorities, ii) transmitting said priority attribute information associated with each said transmitted item, and iii) using said transmitted priority attribute information at said user terminal to determine said access priority for each said selected item.

30. A method of transmitting items containing content information to a user terminal and reproducing a selected one of said transmitted items at a time selected by a user of said user terminal, comprising:

providing a user terminal;

transmitting information items to said user terminal, at least some of said transmitted items containing content information including at least one of moving images or audio sound:

at said user terminal, receiving said transmitted items containing content information and assigning access priorities to said received items;

selecting some of said received items containing content information on the basis of information representing said access priorities;

selectively storing said selected items in said user terminal;

deleting at least one of said stored items from said user terminal in an order beginning with said stored item having a lowest one of said access priorities; and

at a user-selected time after storing said selected items, user selecting one of said stored items and causing said at least one of moving images or audio sound to be reproduced from said user-selected item.

31. The method as claimed in claim 30, wherein said access priority of each said selected item is determined by first processing including i) associating with each of said information items category attribute information corresponding

to a category assigned to the content information contained in said category being one of said information item, ii) plurality of categories, transmitting said attribute information associated with each said transmitted item, iii) using said transmitted category attribute information said user terminal, counting a number of times transmitted items in each said category are accessed by a user to obtain count values of said plurality of categories, and iv) determining said access priorities from said count values.

- The information processing method as claimed in claim 30, wherein said access priority of each said selected second processing including determined by information items associating with each οf said attribute information corresponding to a priority assigned to the content information contained in each said information item, said priority being one of a plurality of priorities, transmitting said priority attribute information associated with each said transmitted item, and iii) using said transmitted information at said user terminal priority attribute determine said access priority for each said selected item.
- 33. The information processing method as claimed in claim 30, wherein said access priority of each said selected item is determined by first processing including i) associating said category attribute information items of information corresponding to a category assigned to the content in each said information item, information contained of categories, of а plurality category being one transmitting said category attribute information associated with each said transmitted item, iii) using said transmitted category attribute information at said user terminal, counting a number times said transmitted items in each said category are accessed by a user to obtain count values of said plurality of categories, and iv) determining said access priorities from said

second processing including i) associating count values and information items priority attribute said οf information corresponding to a priority assigned to the content information contained in each said information plurality of priorities, priority being one of a transmitting said priority attribute information associated with each said transmitted item, and iii) using said transmitted priority attribute information at said user terminal determine said access priority for each said selected item.

35. An information receiving apparatus operable to receive transmitted items containing content information and to reproduce a selected one of said transmitted items at a time selected by a user, comprising:

a receiver operable to receive items containing content information transmitted to said information receiving apparatus;

a controller operable to select some of said received items, said selected items containing content information including at least one of moving images or audio sound, said selected items being selected on the basis of information representing access priorities for respective ones of said selected items;

an information storing unit operable to selectively store said selected items; and

an information forming unit operable to arrange each of said stored items in an order according to said access priorities,

said controller being further operable to permit a user to select one of said stored items containing content information at a user-selected time after storing said user-selected item and to cause said at least one of moving images or audio sound to be reproduced from said user-selected item.

- 36. The information receiving apparatus as claimed in claim 35, wherein said access priority of each said selected item is determined by first processing including i) associating items category attribute with each of said information information corresponding to a category assigned to the content information contained in each said information item, said category being one of a plurality of categories, ii) transmitting said category attribute information associated with each said transmitted item, iii) using said transmitted category attribute information at said information receiving apparatus, counting a number of times said transmitted items in each said category are accessed by a user to obtain count values of said iv) determining plurality of categories, and said access priorities from said count values.
- 37. The information receiving apparatus as claimed in claim 35, wherein said access priority of each said selected item is determined by second processing including i) associating information items priority attribute of said information corresponding to a priority assigned to the content in each said information item, information contained plurality of priorities, ii) priority being one of a transmitting said priority attribute information associated with each said transmitted item, and iii) using said transmitted priority attribute information at said information receiving apparatus to determine said access priority for each said selected item.
- 38. The information receiving apparatus as claimed in claim 35, wherein said access priority of each said selected item is determined by first processing including i) associating information items category attribute with each of said information corresponding to a category assigned to the content in each said information item, said information contained plurality of categories, ii) of category being one a

transmitting said category attribute information associated with each said transmitted item, iii) using said transmitted category attribute information at said information receiving apparatus,, counting a number of times said transmitted items in each said category are accessed by a user to obtain count values of said plurality of categories, and iv) determining said access priorities from said count values and said second processing associating with each of said information items including i) priority attribute information corresponding to a priority assigned to the content information contained in each said information item, said priority being one of a plurality of priorities, ii) transmitting said priority attribute information associated with each said transmitted item, and iii) using said transmitted priority attribute information at said information receiving apparatus to determine said access priority for each said selected item.

40. An information receiving apparatus operable to receive transmitted items containing content information and to reproduce a selected one of said transmitted items at a time selected by a user, comprising:

a receiver operable to receive items containing content information transmitted to said information receiving apparatus;

a controller operable to select some of said received said containing content selected items information including at least one of moving images or audio sound, said information basis of selected on a selected items being representing access priorities for respective ones of said selected items; and

an information storing unit operable to selectively store said selected items,

wherein said controller is further operable to delete at least one of said stored items in an order beginning with

said stored item having a lowest one of said access priorities and to permit a user to select one of said stored items containing content information at a user-selected time after storing said user-selected item and to cause said at least one of moving images or audio sound to be reproduced from said user-selected item.

- 41. The information receiving apparatus as claimed in claim 40, wherein said access priority of each said selected item is determined by first processing including i) associating said information items category information corresponding to a category assigned to the content said information in each item, information contained of plurality of categories, ii) category being one a transmitting said category attribute information associated with each said transmitted item, iii) using said transmitted category attribute information at said information receiving apparatus counting a number of times said transmitted items in each said category are accessed by a user to obtain count values of said plurality of categories, and iv) determining said access priorities from said count values.
- 42. The information receiving apparatus as claimed in claim 40, wherein said access priority of each said selected item is determined by second processing including i) associating information items priority attribute each of said information corresponding to a priority assigned to the content in each said information information contained of plurality of priorities, priority being one a transmitting said priority attribute information associated with each said transmitted item, and iii) using said transmitted priority attribute information at said information receiving apparatus to determine said access priority for each said selected item.

43. The information receiving apparatus as claimed in claim 40, wherein said access priority of each said selected item is determined by first processing including i) associating said information items category with each of information corresponding to a category assigned to the content information contained in each said information item, said of a plurality of categories, ii) category being one transmitting said category attribute information associated with each said transmitted item, iii) using said transmitted category attribute information at said information receiving apparatus counting a number of times said transmitted items in each said category are accessed by a user to obtain count values of said plurality of categories, and determining said access iv) priorities from said count values and second processing including i) associating with each of said information items priority attribute information corresponding to a priority assigned to the content information contained in each said information item, said priority being one of a plurality of priorities, ii) transmitting said priority attribute information associated with each said transmitted item, and iii) using said transmitted priority attribute information at said information receiving apparatus to determine said access priority for each said selected item.

APPENDIX B - EVIDENCE

Appellant has not submitted any evidence with this Appeal Brief.

APPENDIX C - RELATED PROCEEDINGS

Appellant is not aware of any related proceedings.

693232_1.DOC